

12. [Operations]

Skill 12.1 Using the commutative property for addition.

MMYellow 1 1 2 2 3 3 4 4
MMRed 1 1 2 2 3 3 4 4

Example:
 $2 + 5 = 7$
 $5 + 2 = 7$

COMMUTATIVE LAW for ADDITION
 You can add numbers in any order
 and not change the outcome.

SO $2 + 5 = 5 + 2$

Q. $6 + 3 = 3 + 6$
 True or false?

A. **true**

Solve both sides of the equation and
 compare the results.

$6 + 3 = 9$

$3 + 6 = 9$

The results are the same.

a) $10 - 4 = 4 - 10$
 True or false?

b) $4 + 5 = 5 + 4$
 True or false?

c) $7 + 9 = 9 + 7$
 True or false?

$10 - 4 = 6$ but

$4 - 10 \neq 6$ **false**

d) $9 - 3 = 3 - 9$
 True or false?

e) $2 + 9 = 9 + 2$
 True or false?

f) $8 - 1 = 1 - 8$
 True or false?

g) **8** + 2 = 2 + 8

h) $9 + 6 =$ $+ 9$

i) $4 + 1 =$ $+ 4$

j) + 5 = 5 + 2

k) + 7 = 7 + 5

l) $3 + 9 =$ $+ 3$

m) + 13 = 13 + 6

n) $17 + 10 =$ $+ 17$

o) $11 + 19 =$ $+ 11$

p) + 22 = 22 + 14

q) + 17 = 17 + 12

r) $15 + 18 =$ $+ 15$

s) $13 +$ $= 31 + 13$

t) + 16 = 16 + 28

u) $27 +$ $= 7 + 27$

Skill 12.2 Using the commutative property for multiplication.

Example:

$$2 \times 5 = 10$$

$$5 \times 2 = 10$$

COMMUTATIVE LAW for MULTIPLICATION
You can multiply numbers in any order and not change the outcome.

SO $2 \times 5 = 5 \times 2$

Q. $\times 5 = 5 \times 9$

A. 9

Ask: "What number multiplied by 5 equals 5 multiplied by 9?"

Answer: $9 \times 5 = 5 \times 9$

a) $10 \div 2 = 2 \div 10$
True or false?

$10 \div 2 = 5$ but

$2 \div 10 \neq 5$

b) $4 \times 5 = 5 \times 4$
True or false?

c) $7 \times 9 = 9 \times 7$
True or false?

d) $9 \div 3 = 3 \div 9$
True or false?

e) $6 \times 7 = 7 \times 6$
True or false?

f) $12 \div 4 = 4 \div 12$
True or false?

g) $\times 2 = 2 \times 8$

h) $\times 5 = 5 \times 2$

i) $4 \times 1 =$ $\times 4$

j) $9 \times 6 =$ $\times 9$

k) $\times 4 = 4 \times 12$

l) $19 \times 10 =$ $\times 19$

m) $11 \times 3 =$ $\times 11$

n) $\times 6 = 6 \times 18$

o) $\times 13 = 13 \times 12$

p) $7 \times 18 =$ $\times 7$

q) $\times 24 = 24 \times 17$

r) $13 \times 15 =$ $\times 13$

s) $\times 5 = 5 \times 4$

t) $11 \times$ $= 10 \times 11$

u) $\times 16 = 16 \times 7$

Skill 12.3 Understanding the identity property for addition.

Example:

$$14 + 0 = 14$$

IDENTITY LAW of ADDITION using ZERO
The sum of zero and any number is that number.

q. + 0 = 2

A. 2

Ask: "What number added to zero makes 2?"

Answer: $2 + 0 = 2$

a) $10 + 0 = 10$
True or false?

true

b) $6 + 0 = 0$
True or false?

c) $0 + 7 = 7$
True or false?

d) $0 + 8 = 8$
True or false?

e) $3 - 0 = 0$
True or false?

f) $9 - 0 = 9$
True or false?

g) 8 + 0 = 8

h) + 0 = 5

i) $3 + 0 =$

j) $9 +$ $= 9$

k) $2 -$ $= 0$

l) $5 -$ $= 5$

m) Which expression equals 7?

- A) $0 + 7$
- B) 0×7
- C) $0 - 7$

n) Which expression equals 8?

- A) 0×8
- B) $0 - 8$
- C) $0 + 8$

o) Which expression equals 6?

- A) 6×0
- B) $0 - 6$
- C) $6 + 0$

p) Which expression equals 3?

- A) $3 + 0$
- B) $0 - 3$
- C) 3×0

Skill 12.4 Understanding the identity property for multiplication.

Example:

$$14 \times 1 = 14$$

IDENTITY LAW for MULTIPLICATION using ONE
The product of one and any number is that number.

Q. $\times 1 = 8$

A. 8 Ask: "What number multiplied by 1 makes 8?"
Answer: $8 \times 1 = 8$

Q. Which expression equals 13?

- A) $1 + 13$
- B) 1×13
- C) $1 \div 13$

A. B Solve all expressions and then compare the results.
A) $1 + 13 \neq 13$
B) $1 \times 13 = 13$
C) $1 \div 13 \neq 13$

a) $6 \times 1 = 6$
True or false?

b) $1 \times 4 = 4$
True or false?

c) $1 \times 1 = 2$
True or false?

d) $9 \times 1 = 9$
True or false?

e) $15 \div 1 = 1$
True or false?

f) $3 \div 1 = 3$
True or false?

g) $\times 1 = 2$

h) $\times 1 = 7$

i) $3 \times 1 =$

j) $5 \times$ $= 5$

k) $4 \div$ $= 4$

l) $8 \div$ $= 1$

m) Which expression equals 4?

- A) 1×4
- B) $1 + 4$
- C) $1 \div 4$

n) Which expression equals 12?

- A) $1 + 12$
- B) $1 \div 12$
- C) 1×12

o) Which expression equals 10?

- A) $1 \div 10$
- B) $10 + 1$
- C) 10×1

p) Which expression equals 17?

- A) 17×17
- B) $17 \div 1$
- C) $1 + 17$

Skill 12.5 Using the associative property for addition.

Example:

$$(2 + 5) + 5 = (7) + 5 = 12$$

$$2 + (5 + 5) = 2 + (10) = 12$$

ASSOCIATIVE LAW for ADDITION
Rearranging the grouping of numbers does not change their sum.

SO $(2 + 5) + 5 = 2 + (5 + 5)$

- Q.** Regroup the expression by writing an easier sum that uses a multiple of 10.

$$(16 + 7) + 3$$

A. $16 + (7 + 3)$

Find which two numbers add to 10.

Group them with brackets.

It is easier to add to a 10!

- a)** Which expression equals $3 + (7 + 9)$?

A) $3 - (7 + 9)$

B) $(3 + 7) + 9$

C) $3 + 7 - 9$

- b)** Which expression does not equal $2 + 8 + 5$?

A) $2 + (8 + 5)$

B) $(2 + 8) + 5$

C) $2 + 8 - 5$

- c)** Regroup the expression by writing an easier sum that uses a multiple of 10.

$$5 + (5 + 19)$$

- d)** Regroup the expression by writing an easier sum that uses a multiple of 10.

$$(5 + 17) + 3$$

- e)** Regroup the expression by writing an easier sum that uses a multiple of 10.

$$(9 + 8) + 2$$

- f)** Regroup the expression by writing an easier sum that uses a multiple of 10.

$$4 + (6 + 17)$$

- g)** Simplify by adding the numbers in a different order:

$$14 + (6 + 18) =$$

$$(14 + 6) + 18 = 20 + 18 =$$

38

- h)** Simplify by adding the numbers in a different order:

$$(9 + 18) + 12 =$$

- i)** Simplify by adding the numbers in a different order:

$$(8 + 13) + 7 =$$

- j)** Simplify by adding the numbers in a different order:

$$19 + (11 + 27) =$$

Skill 12.6 Using the associative property for multiplication.

Example:

$$(2 \times 5) \times 5 = (10) \times 5 = 50$$

$$2 \times (5 \times 5) = 2 \times (25) = 50$$

ASSOCIATIVE LAW for MULTIPLICATION
Rearranging the grouping of numbers does not change their product.

SO $(2 \times 5) \times 5 = 2 \times (5 \times 5)$

Q. Regroup the expression by writing an easier sum that uses a multiple of 10.

$$(9 \times 5) \times 4$$

A. $9 \times (5 \times 4)$

Find which two numbers multiplied result in a multiple of 10.

$$9 \times 5 = 45$$

$$5 \times 4 = 20$$

Group 5 and 4 with brackets.

a) Which expression equals

$$3 \times (7 \times 7)?$$

A) $7 \div (7 \times 3)$

B) $(3 \times 7) \times 7$

C) $3 \times 7 \div 7$

b) Which expression does not equal

$$2 \times 8 \times 4?$$

A) $2 \times (8 \times 4)$

B) $(2 \times 8) \times 4$

C) $2 \times 8 \div 4$

c) Regroup the expression by writing an easier sum that uses a multiple of 10.

$$5 \times (2 \times 37)$$

d) Regroup the expression by writing an easier sum that uses a multiple of 10.

$$(14 \times 4) \times 5$$

e) Regroup the expression by writing an easier sum that uses a multiple of 10.

$$4 \times (25 \times 8)$$

f) Regroup the expression by writing an easier sum that uses a multiple of 10.

$$(17 \times 4) \times 25$$

g) Simplify by multiplying the numbers in a different order:

$$(9 \times 25) \times 4 =$$

$$9 \times (25 \times 4) = 9 \times 100 = \boxed{900}$$

h) Simplify by multiplying the numbers in a different order:

$$(13 \times 5) \times 2 =$$

i) Simplify by multiplying the numbers in a different order:

$$4 \times (25 \times 11) =$$

j) Simplify by multiplying the numbers in a different order:

$$(8 \times 2) \times 25 =$$

The inverse (opposite) operation of addition is subtraction.

When you perform two inverse operations (adding 5 and subtracting 5) on a number (17) the number stays unchanged.

Example:

$$\begin{aligned} & 17 + 5 - 5 \\ & = 22 - 5 \\ & = 17 \end{aligned}$$

INVERSE OPERATIONS + AND -
Subtraction of a number undoes addition of that same number.

The inverse (opposite) operation of multiplication is division.

When you perform two inverse operations (multiplying by 5 and dividing by 5) on a number (7) the number stays unchanged.

Example:

$$\begin{aligned} & 7 \times 5 \div 5 \\ & = 35 \div 5 \\ & = 7 \end{aligned}$$

INVERSE OPERATIONS × AND ÷
Division by a number undoes multiplication by that same number.

Q. $24 + \boxed{} - 7 = 24$

A. 7

Check

$$\begin{aligned} & 24 + ? - 7 = 24 \\ \Rightarrow & 24 - 7 = 17 \\ \Rightarrow & 17 + ? = 24 \\ \Rightarrow & 17 + 7 = 24 \end{aligned}$$

Ask: "What number, added to 24 undoes subtracting 7?"

Answer: Adding 7 undoes subtracting 7.

Check the result.

a) $14 \times 2 \div \boxed{2} = 14$

b) $20 + 12 - 12 = \boxed{}$

$28 \div ? = 14$

c) $18 + 3 \boxed{} 3 = 18$

d) $25 \div 5 \boxed{} 5 = 25$

e) $18 \boxed{} 3 - 3 = 18$

f) $16 \times \boxed{} \div 4 = 16$

g) $9 \times 7 \div \boxed{} = 9$

h) $32 \div 8 \boxed{} 8 = 32$

- Add (+) and/or subtract (-) from left to right.

Q. $8 - 2 - 5 + 6 =$

A. $8 - 2 - 5 + 6 =$
 $= 6 - 5 + 6$
 $= 1 + 6$
 $= 7$

Start with 8 and subtract 2.
 The result is 6.
 Then subtract 5 from 6.
 The result is 1.
 Finally add 6 to the 1.

a) $8 + 2 + 4 =$

$10 + 4 =$

14

b) $6 + 5 - 3 =$

c) $14 - 7 - 6 =$

d) $7 - 5 + 9 =$

e) $19 - 8 + 1 =$

f) $16 - 2 + 5 =$

g) $4 + 6 + 3 =$

h) $13 - 7 - 4 =$

i) $5 + 8 - 9 =$

j) $6 + 5 + 1 - 2 =$

$11 + 1 - 2 =$

$12 - 2 =$

10

k) $8 - 4 + 3 + 2 =$

l) $9 + 7 - 5 - 1 =$

m) $7 + 3 + 5 - 6 =$

n) $5 - 2 + 7 - 5 =$

o) $9 - 3 - 2 - 1 =$

p) $5 + 8 - 4 - 3 =$

q) $29 - 4 + 7 + 2 =$

r) $8 + 16 - 9 + 5 =$

- Multiply (\times) and/or divide (\div) from left to right.

Q. $12 \div 3 \times 5 =$

A. $12 \div 3 \times 5 =$
 $= 4 \times 5$
 $= 20$

Start with 12 and divide by 3.
The result is 4.
Then multiply 4 by 5.

a) $2 \times 5 \times 3 =$

$10 \times 3 =$

30

b) $5 \times 3 \div 3 =$

c) $16 \div 4 \div 2 =$

d) $12 \div 3 \times 4 =$

e) $2 \times 1 \times 3 =$

f) $14 \div 7 \times 4 =$

g) $5 \times 4 \div 4 =$

h) $18 \div 6 \div 3 =$

i) $7 \times 2 \div 7 =$

j) $4 \times 2 \times 2 =$

$8 \times 2 =$

16

k) $2 \times 9 \div 6 =$

l) $20 \div 5 \div 2 =$

m) $35 \div 5 \times 6 =$

n) $3 \times 4 \times 5 =$

o) $24 \div 4 \times 2 =$

p) $3 \times 4 \div 3 =$

q) $56 \div 7 \div 2 =$

r) $6 \times 6 \div 3 =$

Skill 12.10 Using 'order of operations' involving + and/or - and \times and/or \div

- Multiply (\times) and/or divide (\div) from left to right.
- Add (+) and/or subtract (-) from left to right.

Q. $6 + 12 \div 3 =$

A. $6 + 12 \div 3 =$
 $= 6 + 4$
 $= 10$

First divide 12 by 3.
 The result is 4.
 Then add 6 and 4.

a) $21 \div 3 - 2 =$

$7 - 2 =$

b) $4 + 3 \times 3 =$

.....

c) $6 \times 2 + 8 =$

.....

d) $15 \div 5 - 2 =$

.....

e) $2 \times 5 - 4 =$

.....

f) $6 + 3 \times 5 =$

.....

g) $6 + 9 \div 3 =$

.....

h) $18 \div 2 + 4 =$

.....

i) $3 \times 4 + 7 =$

.....

j) $13 - 3 \times 3 =$

$13 - 9 =$

k) $4 \times 4 - 7 =$

.....

l) $15 - 10 \div 5 =$

.....

m) $56 \div 7 - 1 \times 4 =$

.....

n) $8 + 12 \div 4 - 2 =$

.....

o) $45 - 5 \times 2 - 5 =$

.....

p) $38 - 12 \div 2 \times 3 =$

.....

q) $16 \div 4 \times 8 + 4 =$

.....

r) $18 \div 6 \times 9 - 4 =$

.....

Skill 12.11 Using 'order of operations' involving brackets ()

- Simplify within the brackets.
- Multiply (\times) and/or divide (\div) from left to right.
- Add ($+$) and/or subtract ($-$) from left to right.

Q. $9 + 12 \div (9 - 5) =$

A. $9 + 12 \div (9 - 5) =$
 $= 9 + 12 \div 4$
 $= 9 + 3$
 $= 12$

Simplify inside the brackets and subtract 5 from 9. The result is 4. Then divide 12 by 4. The result is 3. Finally add 9 and 3.

a) $7 \times (4 - 2) =$
 $7 \times 2 =$

14

b) $9 - (4 + 3) =$

c) $(6 - 2) \times 7 =$

d) $(8 + 3) \times 2 =$

e) $(4 + 4) \times 3 =$

f) $15 \div (5 - 2) =$

g) $(17 - 8) \times 2 =$

h) $18 \div (6 + 3) =$

i) $(28 - 20) \times 7 =$

j) $(15 - 3) \div 3 =$

k) $40 \div (10 - 5) =$

l) $80 \div (4 \times 2) =$

m) $8 + (5 + 1) \div 2 =$

$8 + 6 \div 2 =$

$8 + 3 =$

11

n) $4 + (2 + 3) \times 2 =$

o) $15 \div 3 - (2 + 2) =$

p) $5 - (12 - 7) + 9 =$

q) $12 + 36 \div (7 - 1) =$

r) $20 - (4 + 5) \times 2 =$

s) $9 + (7 - 4) \times 3 =$

t) $18 \div (9 - 3) + 2 =$

u) $9 + 3 \times (8 - 4) =$